

VHF Arctic Grade Antenna

Model D8076

The TACO Model D8000 series antennas are vertically polarized omni-directional antennas. The D8000 series are specifically designed to minimize ice accretion on the antenna surface while providing exceptional performance throughout the frequency band ranging 118-137 MHz. The internal components of the antenna are enclosed in a fiberglass radome, ultimately resulting in a lightweight, low profile, rugged communications antenna.

Features


- Independant lab testing shows an 18% reduction in ice accretion
- Rugged lightweight construction
- Enclosed in fiberglass radome
- Metal base with DC ground attachment



ELECTRICAL SPECIFICATIONS

FREQUENCY RANGE	118-137 MHz	
GAIN (dBi)	2.0	
VSWR (Maximum)	2:1	
HPBW	HORZ.	360°
	VERT.	75°
POLARIZATION	Vertical	
IMPEDANCE (Ohm)	50	
POWER (Maximum)	500 W	
TEMPERATURE	-50° to 70°C	
OUTPUTS	1	
CONNECTOR	N Female	

PATTERNS




MECHANICAL SPECIFICATIONS

LENGTH	65 in.
WEIGHT	9.0 lbs.
MOUNTING PIPE	2.875 in.

WIND LOAD SPECIFICATIONS

WIND AREA (NO ICE)	1.08 sq. ft.
WIND AREA (1/2" RADIAL ICE)	1.55 sq. ft.
RATED WIND VELOCITY (NO ICE)	175 mph.
RATED WIND VELOCITY (1/2" RADIAL ICE)	145 mph.

GAIN & VSWR



TACO Antenna's ongoing policy of continuing development may result in specification changes to its products.

TACO ANTENNA

(A division of Wade Antenna, Inc.)
 29 Sharp Road, Brantford, Ontario
 Canada N3T 5L8
www.tacoantenna.com

GLOBAL SALES

Steve Herrlinger
 Tel: 530.263.1140
sherrlinger@tacoantenna.com

EUROPE SALES

Jon Barton
 Tel: +44.01480.478770
 Cell: +44.07538.737796
jbarton@tacoantenna.com

US SALES

Jeff Kunkle
 Tel: 717.975.0885
 Toll Free: 866.975.4433
sales@tacoantenna.com
 SPEC0016_D01